

Ladder / L – Standard Upright Ladders

What Size? **ANY SIZE!**

Ladders are designed for use where safe, vertical access is required, together with the range of accessories to give choice and flexibility.

Ladders are manufactured in aluminium as standard and can be polyester powder coated to any standard stock RAL colour.

Ladders can be manufactured from Stainless Steel making them Ideal for coastal areas

M & M Access Ltd manufactures a wide range of access ladders.

Ladders include Aluminium safe tread ladder rungs set at 250mm centres.

Stringers: 48mm O/D structural tube.

Ladder width: Tubular stringers set 400mm apart.

All ladders comply with relevant building regulations or safety standards.

We recommend ladders that exceed a height of 2500mm should be manufactured to have a safety cage.

M & M Access Ltd can manufacture ladders to any size required



Ladder / L
Standard Upright
Ladder



Ladder / LC
Standard Upright
Ladder with Safety Cage



Ladder / LW
Standard Upright
Ladder with Walkthrough



Ladder / LWC
Standard Upright
Ladder with Walkthrough
& Safety Cage



Ladder / LW - PSP
Standard Upright
Ladder with Walkthrough
& Parapet Stepover Platform



Access Ladders are also available with a retractable lower section



M & M Access Ltd
5 Quarry Park Close
Moulton Park Industrial Estate
Northampton
NN3 6QB

Tel: 01604 644944 Fax: 01604 644899


Email: sales@m-maccess.co.uk

Web: www.m-maccess.co.uk / www.access-panels.com

Illustration shows a Standard Ladder with Safety Cage & Walkthrough




Access Ladders are perfect to assist you up and out of our Roof Access Hatches




Landing Platforms are recommended at 6000mm maximum between platforms or landings



Padlocked security closure for caged ladders to prevent unauthorised entry onto the access ladder



Standard cages for ladders over 2.5m high or optional mesh lined cages are available for additional protection and security.



The padlocked ladder guards are available in 2000mm or 2500mm long - mounted directly over the climbing rungs to prevent unauthorised use.



The retractable hand hold provides an efficient and economic method of improving the safety and convenience of ladder access.